

KILL SWITCH



MISSION CONTROLLER
OPERATIONS MANUAL

ENGINE VERSION 1.081



namco

namco

EmuMovies

Namco HomeTek Inc., 2055 Junction Avenue, San Jose, CA 95131 www.namco.com

RenderWare is a registered trademark of Canon Inc. Portions of this software are © 1998-2003 Criterion Software Ltd. and its licensors.

Kill switch™ & ©2003 Namco HomeTek Inc., All rights reserved.

Licensed for play on the PlayStation 2 computer entertainment systems with the NTSC U/C designation only. "PlayStation" and the "PS" Family logo are registered trademarks of Sony Computer Entertainment Inc. The ratings icon is a registered trademark of the Interactive Digital Software Association. Manufactured and printed in the U.S.A. THIS SOFTWARE IS COMPATIBLE WITH PLAYSTATION 2 CONSOLES WITH THE NTSC U/C DESIGNATION. U.S. AND FOREIGN PATENTS PENDING.

WARNING: READ BEFORE USING YOUR PLAYSTATION®2 COMPUTER ENTERTAINMENT SYSTEM.

A very small percentage of individuals may experience epileptic seizures when exposed to certain light patterns or flashing lights. Exposure to certain patterns or backgrounds on a television screen or while playing video games, including games played on the PlayStation 2 console, may induce an epileptic seizure in these individuals. Certain conditions may induce previously undetected epileptic symptoms even in persons who have no history of prior seizures or epilepsy. If you, or anyone in your family, has an epileptic condition, consult your physician prior to playing. If you experience any of the following symptoms while playing a video game – dizziness, altered vision, eye or muscle twitches, loss of awareness, disorientation, any involuntary movement, or convulsions – IMMEDIATELY discontinue use and consult your physician before resuming play.

WARNING TO OWNERS OF PROJECTION TELEVISIONS:

Do not connect your PlayStation 2 console to a projection TV without first consulting the user manual for your projection TV, unless it is of the LCD type. Otherwise, it may permanently damage your TV screen.

USE OF UNAUTHORIZED PRODUCT:

The use of software or peripherals not authorized by Sony Computer Entertainment America may damage your console and/or invalidate your warranty. Only official or licensed peripherals should be used in the controller ports or memory card slots.

HANDLING YOUR PLAYSTATION 2 FORMAT DISC:

- This disc is intended for use only with PlayStation 2 consoles with the NTSC U/C designation.
- Do not bend it, crush it or submerge it in liquids.
- Do not leave it in direct sunlight or near a radiator or other source of heat.
- Be sure to take an occasional rest break during extended play.
- Keep this compact disc clean. Always hold the disc by the edges and keep it in its protective case when not in use. Clean the disc with a lint-free, soft, dry cloth, wiping in straight lines from center to outer edge. Never use solvents or abrasive cleaners.

TABLE OF CONTENTS

QUICK START 3

BASIC CONTROLS 4

BASIC TRAINING 5

FULL CONTROLS LISTING 10

MAIN MENU INTERFACE 14

LOADING AND SAVING GAMES 16


MISSION CONTROLLER HUD 18

WEAPONS 22

TRAINING SIMULATOR ADDENDUM 24

CREDITS 26

GETTING STARTED



Set up your PlayStation®2 computer entertainment system according to the instructions in its Instruction Manual. Make sure the MAIN POWER switch (located on the back of the console) is turned on. Press the RESET button. When the power indicator lights up, press the OPEN button and the disc tray will open. Place the **kill.switch™** disc on the disc tray with the label side facing up. Press the OPEN button again and the disc tray will close. Attach game controllers and other peripherals, as appropriate. Follow on-screen instructions and refer to this manual for information on using the software.

About Progressive Output

Higher video quality can be enjoyed if a component AV cable for PlayStation®2 (SCPH-10100U) and a progressive scan (480p) television set with component video input are used. If a television set without progressive scan (480p) capabilities or a connection other than with a component AV cable is being used, the picture may not display properly in progressive scan mode.


For instructions on how to use the component AV cable to connect the PlayStation®2 to a television set, please consult the instruction manual for the PlayStation®2 or the diagrams included with the component AV cable. Furthermore, please set the Component Video Out settings on the PlayStation®2 to Y Cb/Pb Cr/Pr under System Configuration. Some television sets with component video inputs may not be progressive scan (480p) enabled. Please consult the television set's instruction manual or contact the manufacturer to confirm.

Selecting Progressive Mode

Hold down the **X** button and the **△** button while the game is booting, and the following prompt will appear: **"Change to Progressive Mode?"** Carefully read the warning on the screen. Select **"Yes"** with the directional buttons and confirm with the **X** button to switch to progressive mode. If the screen displays correctly, select **"Yes"** once again. If the screen is scrambled or otherwise displays incorrectly, please press the Reset button on the PlayStation®2 to reboot and enjoy the game in Normal Mode.

GAME CONTROLS

DUALSHOCK®2 ANALOG CONTROLLER CONFIGURATION



QUICK START

In **kill.switch**, you will use the **left** and **right analog stick** simultaneously for **movement** and **aiming**.


The **L1** and **R1** buttons are used for **taking cover** and **firing**.

The **X**, **○**, **△**, and **□** buttons are used for **evasive diving**, **weapon bashing**, **grenade throwing**, and **interacting**.

The **L2** and **R2** buttons are used for **cycling weapons** and **reloading**.

The **directional buttons** are used for **selecting weapons** and **selecting grenade types**.

BASIC CONTROLS



BASIC TRAINING

MOVEMENT:

Move the operative by moving the **left analog stick** in the desired direction.



CROUCHING:

Crouch by pressing and holding the **L3 button**. Make sure that the operative is not near or facing a cover surface. The operative moves at a reduced speed while crouching, but can still perform an Evasive Dive.



EVASIVE DIVING:

Perform an Evasive Dive by pressing the **⊗ button**. The operative will dive in the direction that he is moving.



AIMING AND LOOKING:

Aim and look around by moving the **right analog stick** in the desired direction.

WEAPON SCOPE/SNIPER RIFLE ZOOM:

Most weapons have a scope or zoom function. Push the **R3 button** down to activate it. For the MCRT 300 sniper rifle, push the **R3 button** down again to zoom in further.



FIRING:

Fire the operative's weapon by pressing the **R1 button**. Press once for a single shot. If the weapon supports it, press and hold for a continuous burst.

BASIC TRAINING

RELOADING:

Press the **R2** button to reload the operative's currently equipped weapon.

WEAPON CYCLING:

Press the **L2** button to cycle through and change the operative's weapon.

WEAPONS SELECTION:

Press the **directional button** left or right to select and change the operative's weapon.

GRENADE THROWING:

Throw a grenade by pressing the **○** button. Press lightly for a shorter throw. Press hard for a longer throw.

GRENADE TYPE SELECTION:

Press the **directional button** up or down to select and change the operative's grenade type.


OFFENSIVE COVER SYSTEM:

To take cover, move and face the operative near a cover surface such as a wall. Press and hold the **L1** button to make the operative use it for cover. To stop taking cover, release the **L1** button. The operative can also perform an Evasive Dive away from cover.

OFFENSIVE COVER SYSTEM MOVEMENT:

While taking cover, move the **left analog stick** left or right to move in that direction. Press down to crouch. You can continue to move while crouching, but at a reduced speed. Press up to stand if crouched.

To move around the outer edge of cover, move the **left analog stick** left or right to move in that direction until you reach the edge of cover. Continue holding the **left analog stick** in that direction, and press the **△** button to move around to the other side.




BASIC TRAINING

OFFENSIVE COVER SYSTEM FIRING:

While taking cover, move the **left analog stick** left or right to move in that direction until you reach the edge of cover. Continue holding the **left analog stick** until the operative leans over. Press the **R1** button to fire. Move the **right analog stick** to aim and look.

If using crouch height cover, you can also move and hold the **left analog stick** up to make the operative rise from the crouch position and take aim. Press the **R1** button to fire. Move the **right analog stick** to aim and look.

You can use a weapon's scope or zoom feature while aiming from cover.



OFFENSIVE COVER SYSTEM BLINDFIRE:


While taking cover, move the **left analog stick** left or right to move in that direction until you reach the edge of cover. Do not make the operative lean over. Press the **R1** button to fire. Move the **right analog stick** to direct Blindfire in that general direction.



BASIC TRAINING



If using crouch height cover, press the **R1 button** and the operative will remain crouched and fire his weapon above him. Move the **right analog stick** to direct Blindfire in that general direction.



WEAPON BASHING:

To perform a weapon bash on an enemy, press the **⊙ button**. The operative must be standing close to an enemy for the hit to connect.



ACTION/INTERACT:

The **△ button** makes the operative interact with certain objects in the environment. For example: a door or a gun emplacement.

Some actions require the **△ button** to be held for a certain amount of time before the action can be completed. Press and hold the **△ button** until the action is completed.



GAME PLAY TIPS

Practice moving and looking around until you get the hang of it and can perform both simultaneously. It might seem hard at first, but will soon become second nature after practice.

Almost anything in the environment can be used as cover! Experiment to see what works best in the given situation. All cover surfaces are either standing or crouch height.

Each weapon recoils upward when fired. Instead of pressing and holding down the **R1 button**, try using short bursts to control the recoil. Releasing the **R1 button** will "re-center" the weapon.

Remember to reload between firefights and **not** during one.

Diving away from grenades is preferable to running away from them. You'll distance yourself away from the blast radius further with a dive.

Most enemies will go down after being hit by a weapon bash. However, getting close to the enemy is another matter entirely!

FULL CONTROLS LISTING

MOVEMENT

left analog stick

Move

L3 button

N/A

L1 button (hold)

Crouch (when not near or pushing up against a cover surface)

EVASIVE MANUEVERS

⊗ button

Evasive Dive forward (tap for short dive, press for longer dive)

⊗ button, then L1 button (hold)

Recover from Evasive Dive into Crouch

⊗ button, then L1 button (hold)

Recover from Evasive Dive into Cover (if facing near standing or crouch height cover)

left analog stick+⊗ button

Evasive Dive in that direction

left analog stick+⊗ button, then L1 button (hold)

Recover from Evasive Dive into Crouch

left analog stick+⊗ button, then L1 button (hold)

Recover from Evasive Dive into Cover (if facing near standing or crouch height cover)

AIMING AND LOOKING

right analog stick

Aim/Look

R3 button

Activate Scope (push again to deactivate)

R3 button

Sniper Rifle Zoom (push once more to zoom in, push once again to exit Sniper Rifle Zoom)

FULL CONTROLS LISTING

FIRING/WEAPONS SELECTION

R1 button

Fire Weapon

L2 button

Cycle Weapons (weapons will cycle forward only)

R2 button

Reload

directional button left or right

Select Weapon (from available weapons inventory with ammo)

GRENADE THROWING

Ⓞ button

Throw Grenade (tap for short throw, press for longer throw)

directional button up or down

Select Grenade Type (from available grenade inventory)

OFFENSIVE COVER SYSTEM

L1 button (hold)

Cover (when facing near or pushing up against a standing or crouch height cover surface, e.g., a wall)

OFFENSIVE COVER SYSTEM

(STANDING HEIGHT COVER)

L1 button (hold)+left analog stick up

Stand from a Crouch (when using standing height cover)

L1 button (hold)+left analog stick down

Crouch (when using standing height cover)

L1 button (hold)+left analog stick left

Move Left Along Cover Surface (when using standing height cover)

L1 button (hold)+left analog stick right

Peek Out and Aim from Behind Cover (when at leftmost edge of standing height cover)

L1 button (hold)+left analog stick left, ⊙ button

Wrap Around Cover Surface (when at leftmost edge of standing height cover)

L1 button (hold)+left analog stick towards any direction, ⊗ button

Dive Off Of or Away from Cover (when behind standing height cover)

FULL CONTROLS LISTING

- L1 button (hold)+left analog stick right**
Move Right Along Cover Surface (when using standing height cover)
- L1 button (hold)+left analog stick right**
Peek Out and Aim from Behind Cover (when at rightmost edge of standing height cover)
- L1 button (hold)+left analog stick right, △ button**
Wrap Around Cover Surface (when at rightmost edge of standing height cover)
- L1 button (hold)+left analog stick towards any direction, × button**
Dive Off Of or Away from Cover (when behind standing height cover)

OFFENSIVE COVER SYSTEM (CROUCH HEIGHT COVER)

- L1 button (hold)+left analog stick up (hold)**
Rise and Aim from Behind Cover (when using crouch height cover)
- L1 button (hold)+left analog stick left**
Move Left Along Cover Surface (when using crouch height cover)
- L1 button (hold)+left analog stick left**
Peek Out and Aim from Behind Cover (when at leftmost edge of crouch height cover)
- L1 button (hold)+left analog stick, △ button**
Wrap Around Cover Surface (when at leftmost edge of crouch height cover)
- L1 button (hold)+left analog stick towards any direction, × button**
Dive Off Of or Away from Cover (when behind crouch height cover)
- L1 button (hold)+left analog stick right**
Move Right Along Cover Surface (when using crouch height cover)
- L1 button (hold)+left analog stick right**
Peek Out and Aim from Behind Cover (when at rightmost edge of crouch height cover)
- L1 button (hold)+left analog stick right, △ button**
Wrap Around Cover Surface (when at rightmost edge of crouch height cover)
- L1 button (hold)+left analog stick towards any direction, × button**
Dive Off Of or Away from Cover (when behind crouch height cover)

FULL CONTROLS LISTING

BLINDFIRE

- R1 button**
Blindfire Towards the Left (when at leftmost edge of standing height cover)
- R1 button**
Blindfire Towards the Right (when at rightmost edge of standing height cover)
- R1 button**
Blindfire Towards the Above (when behind crouch height cover with head clearance)
- R1 button**
Blindfire Towards the Left (when at leftmost edge of crouch height cover)
- R1 button**
Blindfire Towards the Right (when at rightmost edge of crouch height cover)

MELEE FIGHTING

- button**
Weapon Bash (must be standing close to enemy to connect)


ACTION

- △ button**
Action/Interact (e.g., control a gun emplacement, open a door, plant a charge, etc.). **Note:** Some actions may require you to hold the **△ button** for a certain amount of time before the action can be completed.

OTHER

- SELECT button**
Display Current Mission Objectives
- START button**
Pause Menu

MAIN MENU INTERFACE



TITLE SCREEN

Press the **START** button at the Title Screen to access the Main Menu.



MAIN MENU

In the Main Menu, use the **left analog stick** or **directional buttons** to highlight an item. Press the **X** button to select it.

NEW GAME

Begin a brand new game. Before starting, you will be asked to select between the **Normal** or **Hard** difficulty levels. The **Hard** difficulty setting is recommended for players seeking a greater challenge.

Note: The **Reticle Highlight** feature is disabled when playing on the **Hard** difficulty setting.

LOAD GAME

Load a previously saved game, if available.

MISSION SELECT

Start from the beginning of a previously completed mission.

Note: This option will not be available until a mission has been completed once.

OPTIONS MENU

Set and adjust a variety of game settings, all of which are listed below.

Note: Default game settings are in **bold type**.



MAIN MENU INTERFACE

CONTROLLER SETTINGS

VIBRATION OFF ON

Set the controller's vibration feature.

INVERT VERTICAL AXIS OFF ON

Invert vertical axis of the Aim/Look controls.

INVERT HORIZONTAL AXIS OFF ON

Invert horizontal axis of the Aim/Look controls.

AIM/LOOK SENSITIVITY

Adjust the speed of the Aim/Look controls.

RETICLE HIGHLIGHT OFF ON

If enabled, the Targeting Reticle will turn red when it is aimed directly at an enemy.

Note: The **Reticle Highlight** feature is disabled when playing on the **Hard** difficulty setting.

OPTIONS MENU

Return to the Options Menu

VIDEO OPTIONS

BRIGHTNESS

Adjust the image brightness.

SCREEN RATIO 16:9 4:3

Adjust screen ratio to 16:9 (widescreen) or 4:3 (standard).

OPTIONS MENU

Return to the Options Menu.

AUDIO OPTIONS

SOUND EFFECTS VOLUME

Adjust the volume of sound effects and movies.

MUSIC VOLUME

Adjust the volume of the in-game music soundtrack.

OPTIONS MENU

Return to the Options Menu.

CREDITS

Find out who the people behind the game are.

MAIN MENU

Return to the Main Menu.

PAUSE MENU INTERFACE

PAUSE MENU

Press the **START button** to suspend the game and display the Pause Menu. Press the **START button** again or highlight and select Resume to return to the game.

In the Pause Menu, you can set and adjust a variety of game settings as you would from the Options Menu.

Use the **left analog stick** or **directional buttons** to highlight an item. Press the **X button** to select it.

RESUME

Return to the game.

CONTROLLER SETTINGS

Set and adjust a variety of game settings as you would from the Options Menu.

VIDEO OPTIONS

Set and adjust a variety of game settings as you would from the Options Menu.

AUDIO OPTIONS

Set and adjust a variety of game settings as you would from the Options Menu.

ABORT MISSION

Confirm this option again to quit the mission.

LOADING AND SAVING GAMES

After completing a level during a mission, you will be given the option to save your game.

If you choose to save your game and then decide to stop playing, you can continue from where you left off by using the **LOAD GAME** option in the Main Menu.

Press left or right on the **directional buttons** to select from your available saved games. Press the **X button** to load the saved game. You will resume play from that point in the game.

THE FOLLOWING MATERIAL IS AN ABBREVIATED CONTENT SUPPLEMENT FOR THE TRAINING SIMULATOR DATASTREAM, SPECIFICALLY, THE MANUAL OPERATIONS COURSE. PLEASE GO OVER THE MATERIAL BEFORE GOING THROUGH THE COURSE FOR THE FIRST TIME.

MISSION CONTROLLER HUD (Heads Up Display)

TIMER
(NOT ALWAYS
AVAILABLE)

HEALTH
INDICATOR



CURRENT
MISSION
OBJECTIVE

Proceed to Upper Platform

TARGETING
RETICLE



PICKUP
MESSAGE

ACQUIRED 30 ROUNDS FOR AKU

GRENADE TYPE
AND NUMBER



WEAPON INDICATOR

AMMO BAR/
COUNTER

THREAT INDICATOR



HUD Elements

The HUD is your window into an operative's world. The HUD is essential in monitoring the status of an operative and his or her mission. You should take the time to familiarize yourself with the basic function of each HUD Element.

Health Indicator

The blue Health Indicator displays the operative's current health. An operative's health status is at 100% when the blue bar is full.



If an operative takes damage in the field, the blue bar depletes and the Health Indicator becomes smaller.



As you know, each operative has been the recipient of the latest advances in medical nanotechnology. Wounds and damage taken in the field will heal to a certain degree thanks to the nanotech in the operative's system. The black portion underneath the blue bar shows the amount of health that can be recovered through nanotech.

To restore or recover additional health in the field, the operative should seek out aid until proper treatment can be obtained.

Despite their accelerated healing abilities, you should remember that operatives are **not** superhuman. Successive trauma to an operative's system will negate or overload the nanotech, causing the body to go into shock and shut down.

Current Mission Objective

Mission Objectives are displayed underneath the Health Indicator.

Your Commanding Officer (CO) or Base will relay Mission Objectives to the operative through the Neural Interface/Link via a secure and encrypted Datastream transmission. Only the CO, yourself, and the operative will know the contents of the transmission.

Weapon Indicator and Ammo Bar/Counter Grenade Type and Number



You can review an operative's weapon loadout with these indicators.

The operative's currently equipped weapon, its remaining ammunition, the current type of grenade being used, along with their remaining number, are all displayed simultaneously here.

The weapon's ammo bar depletes as rounds are spent. The counter next to it indicates the total number of rounds left. The number of grenades will decrease for that particular type as they are used.

Of course, if the operative obtains additional weapons, ammunition, or grenades, the indicators will reflect those changes instantaneously.

As a safeguard, the Weapon Indicator will begin to blink as a reminder for the operative to reload a weapon.



The blinking will become more frequent and flash red as a weapon's clip comes closer to being emptied.

To conserve HUD space, the indicators will "close up" after a few moments. The indicators will "open up" again if a different weapon or grenade type is selected.



Targeting Reticle

The targeting reticle is used for aiming an operative's weapon.

The shape of the targeting reticle will change depending on the weapon currently being used.

The targeting reticle can also change in size. The larger the reticle, the more inaccurate the shot an operative will take if he fires his weapon at that time.

By default, the targeting reticle will turn red to indicate that it is being aimed directly at a hostile threat.

If you disable the highlight function of the targeting reticle, it will not turn red.



Threat Indicator

Indicators may pop up if a threat to the operative happens "off-screen" in relation to the HUD viewing area. Threat Indicators are mostly for your reference, to aid the operative in assessing and determining the location of threats such as hostile fire.



Pickup Message


Non-mission objective or miscellaneous types of messages may show here from time to time, (e.g., items an operative acquires during a mission will be displayed here as they are taken into his inventory)

Timer (not always available)

Certain missions may have a time-related element to them. The timer will display the amount of time remaining to complete a certain objective or mission.

Scope/Sniper Rifle Zoom View

The operative has access to weapons that may utilize a scope or zoom view, such as a sniper rifle. This type of close-up view is useful when attempting to make more precise and accurate shots in the field.



CREDITS

Lead Producer

Matt Sentell

Producer

Chris Esaki

Story Created and Written by

Alvin Muolic

Associate Producer

Scott Cristostomo

Assistant Producer

James Guirao

Lead Programmer

Gil Colgate

Programmers

Dave Akers

David Bennett

Edwin Hui

Hiroyuki Kobota

Josh Markiewicz

Dei Matsumoto

Artists

James Darknell

Kris De Martini

Joel Emslie

Daniel Fuller

Edward Lee

Keith Parker

Adam Peterson

Mike Witt

Additional Art

Tim Tao

Animators

Vince Joly (Bishop)

Sonny Santa Maria (Enemies)

Level Designers

John Mundy

Mark Sau

Geoffrey Smith

Craig Ward

Character Designer

Christian Gossert

Cast

Archer Adam Baldwin

Bishop Marcus McCollum

Controller Chuck McQuary

Duchess Adrienne Wilkinson

Lynn Jodi Harris

Soldiers Chris Cox

..... David Cooley

..... Jen Sung Outerbridge

..... Marcelo Tubert

Casting

Imperium-7

Talent Agent

Joe DeVanon

Voice Over Recording

Point 360 WoodHolly Studio

Audio Engineer

Larry Forkner

Audio Supervisor

Steve Nafshun

Biz Girl

Wayna Calderon

Cinematics

ATTITUDE STUDIO

Director

Antoine Charreyron

Producer

Giselda Figueroa

Production Coordinator

Annika Boman

Modeling Supervisor

Jérôme "JeX" Desvignes

Animation Motion Capture Supervisor

Rémi Brun

Animation Supervisor

Olivier Renouard

Visual Effects Supervisor

Stéphane Marty

Development Supervisor

Laurent Martin

VP Production

François Lourdin

CREDITS

Database Creation - Props - Sets

Designer

Marc Maggiori

Modeling Artists

Yann Boulanger

Rachid Chikh

Laurent Davene

Sébastien Haure

François Rimasson

Danie Servoin

UV & Texture Artists

Florence Dubin

Jimmy Laplaige

Armelle Massonet

Alban Orhiac

Arnaud Pecqueur

Bruno Serre

Motion Capture Animation

Mocap Sets Manager

Frédéric Vandenberghe

Construction Operator

Christian Dupeux

Script

Noémie Bercot

Sound Engineer

Guy Louis

Wardrobe Manager

Sylvie Mouchenik

Mocap Data Processing

Christophe Correani

Franck Vayssettes

Intern

Jeremy Meunier

Acting Talent

Lead Actors

Frédéric Kontogom "Archer"

Anne Le Chartier "Lynn"

Anthony Royer "Bishop"

Layout

Editor

Julien Mazon

Keyframe Animation

Animation Operators

Pierre Avon

Jeremy Delchiappo

Minh Nguyen

Setup Operators

David Hooghe

Philippe Raoux

Lighting, SFX, & Compositing

Lighting Operators

Gilles Cornut

Bernard Stulzaft

SFX Operator

Jérôme Brack

Compositing Artists

Gaëlle Bossis

Alexis Chenot

Vincent Cuttman

Gaston Marcotti

Thibault Petillon

Render Farm Operator

Julien Robert

Development

Developers

Marie Cécile Auzeil

Philippe Delorme

Benjamin Godon

Sébastien Masino

Alexandre Verlhac

Development Interns

Eric Caruyer

Mageeb Eally

Julien Frantz

Additional Cinematics

Charles Barnard

Music

Kevin Manthei, KMM Productions

Additional Music

Jolen Essex

Sound Design

Soundstorm Interactive

Supervising Sound Designer

Brian Min

Assistant Sound Designer

Joseph Tsai

CREDITS

Quality Assurance & Customer Support Manager

Brian Schorr

QA Supervisor

Daryle Tumacder

Lead Tester

Mike Peterson

Assistant Leads

Gene Bang

Anthony Duarte

CGC

Ryan Chennault

Philip Cohen

Adrian Escultura

Jesse Mejia

Chris Stanley

Mike Stevens

Testers

Abe Aranda

William Chang

Jimmy Chiu

Brian Ellak

Robert Hamiter

Alan Hopkins

Alex Kane

Ryan Kwok

Elisa Lane

Eric Lenfers

Michaelangelo Mesina

David Miller

Cory Narag

Bill Ricardi

Nelson Tam

Danelle Sears

Robin Senaka

Todd Shimizu

Director of Marketing

Stacey Hirata

Product Marketing Manager

Jeff Lujan

Product Marketing Specialist

Kim Morgan

Channel Marketing

Steven Hosey

Public Relations

Mika Kelly

Bender Helper Impact

Promotional Design

Ignited Minds

Package Design

Seiniger Advertising Group

IS Manager

Lee Hsiao

IS Group

Cang Truong

Allen Goulart

Legal

Berry Kane

Lona Sato

Operations Manager

Jennifer Tersigni

Executive in charge of Production

Robert Ennis

Special Thanks

Nobuhiro Kasahara

Garry Cole

Daniela Sentell

Kirsten Bontrager

Kathrine Lindeman

Archangel Studios

Nathaniel Downes

Johanna Olson

Snakebite

ATTITUDE STUDIO

Sylvia Abenzoar

Jean Paul Da Silva

Sylvain Debes

Carole Djaouti

Julien Doussot

Agnès Duval

Nathalie Etchepare

Samantha Guanine

Laurent Guillemot

Boris Hertzog

André Leyronnas

Jean-Paul Lopes

Sébastien Masino

Naima Mabchour

Marc Mianca

Sandrine Nguyen

Frédéric Simonot

Lo Wai Mun

LIVE HELP NOW AVAILABLE ONLINE!

Ever get stuck and just need that extra edge to beat the level?

Having problems getting your game to work properly?

Now you can get one-on-one help from Namco using your web browser!

Simply go to www.livehelp.namco.com for more details.

Live Counselors available from 9am-5pm Monday-Friday Pacific Time.

Namco Hometek Inc.
ATTN: Customer Service
2055 Junction Avenue
San Jose, CA 95131

Before returning any defective materials to us, please contact us for a Return Merchandise Authorization (RMA) number. You can reach us at the address above or via e-mail at support@namco.com. Please note that any materials sent to us without an RMA number will be returned and returned. We highly recommend that you use a traceable and / or insured method of shipping the materials to us.

Namco Online: <http://www.namco.com>

Visit our Website to get information about our new titles.

LIMITED WARRANTY

Namco Hometek Inc. warrants to the original purchaser that this Namco Hometek Inc. game pak shall be free from defects in material and workmanship for a period of ninety (90) days from the date of purchase. If a defect covered by this limited warranty occurs during this 90-day limited warranty period, Namco Hometek Inc. will repair or replace the defective game pak or component part, at its option, free of charge.

This limited warranty does not apply if the defects have been caused by negligence, accident, unreasonable use, modification, tampering, or any other cause not related to defective material or workmanship.

LIMITATIONS ON WARRANTY

Any applicable implied warranties of merchantability and fitness for a particular purpose, are hereby limited to ninety (90) days from the date of purchase and are subject to the conditions set forth herein. In no event shall Namco Hometek Inc. be liable for consequential or incidental damages resulting from the possession or use of this product.

The provisions of the limited warranty are valid in the United States only. Some states do not allow limitations on how long an implied warranty lasts, or exclusion of consequential or incidental damages, so the above limitation or exclusion may not apply to you. This limited warranty provides you with specific legal rights. You may have other rights which vary from state to state.